





DAVIS CHAIR

**STANDARD
FABRIC
COLLECTION
2025**

SE SERIES




SE198-06 BLACK



SE198-01 PINK




SE198-03 RED



SE198-04 DARK GRAY



SE198-05 DARK BLUE



SE198-07 INK BLUE


SE198-02 WHITE



9000 SERIES
FOR MODEL LS-548



HY-9076 ORANGE



9009 BLUE



9002 BLACK

FABRIC TECHNICAL FEATURES

Series Item	SE Series	HY Series	IS Series	9000 Series
Composition	P+OP	100% Polyester	40% Polyester 60% Nylon	100% Polyester
Width(±2%)	158/160CM	150CM	160CM	150CM

STANDARD TEST

Series Name	Test Item	Color Fastness to Light(Grade)	Color Fastness to Rubbing(Grade)	Abrasion Resistance(Cycles)	Tensile Strength	Burst Strength
SE Series		4-5	Warp 4-5	Over 30,000	/	/
HY Series		4-5	Warp 4-5 Weft 4-5	Over 60,000	/	/
IS Series		3-4	Warp 4-5 Weft 4	Over 10,000	Warp 1200N Weft 1600N	Warp>125N Weft >114N
9000 Series		4	Warp 4 Weft 4	Over 50,000	Warp 890N Weft 1020N	Warp>63N Weft >63N

● Special Processing



Flame Resistance standards (upcharge)

- California Technical Bulletin 117
- California Technical Bulletin 133
- BS 5852

